

## CLAIMS

- 1) A speaker and grill, comprising:
  - a speaker horn disposed within a speaker box;
  - a rim having a front surface, a back surface and center rim, the rim joined to the speaker box;
  - a motor support having a central aperture frame and spokes, the spokes joining the central aperture frame to the rim, the central aperture frame defining a central aperture;
  - a rim cover disposed about the rim;
  - a motor joined to a rotatable shaft, the motor joined to the central aperture frame and the motor selectively rotating the rotatable shaft;
  - a power source joined to the motor, the power source powering the motor; and
  - a rotatable cover, the rotatable cover joined to the rotatable shaft.
- 2) A speaker and grill, comprising:
  - a speaker horn disposed within a speaker box;
  - a shaft having a central axis co-axial with the central axis of the speaker horn;
  - and
  - a selectively rotatable cover joined to the shaft.
- 3) The device of claim 2 further including a rim joined to the speaker box.

- 4) The device of claim 3 wherein the rim circumscribes the speaker horn.
- 5) The device of claim 3 wherein the rim has a front surface, back surface and a center rim, the back surface joined to the speaker box.
- 6) The device of claim 3 further including a rim cover disposed about the rim.
- 7) The device of claim 6 wherein the rim cover resembles a tire.
- 8) The device of claim 3 further comprising a motor support joined to the rim.
- 9) The device of claim 8 wherein the motor support has a central aperture frame and spokes, the spokes joining the central aperture frame to the rim, the central aperture frame defining a central aperture, the shaft being disposed through the central aperture.
- 10) The device of claim 3 wherein the speaker grill resembles an automobile tire rim.
- 11) The device of claim 3 further including a light source, the light source joined to the rim.
- 12) The device of claim 2 wherein the shaft is rotatable.

- 13) The device of claim 12 wherein the shaft is joined to a motor.
- 14) The device of claim 13 wherein the motor is joined to a power source, the power source selectively powering the motor.
- 15) The device of claim 13 wherein the motor is joined to a power source, the power source intermittently powering the motor.
- 16) The device of claim 13 wherein the motor is a variable speed motor.
- 17) The device of claim 2 wherein the rotatable cover has spokes.
- 18) The device of claim 2 wherein the cover resembles a hub cap of an automobile tire.
- 19) The device of claim 2 further comprising a light source, the light source being joined to the grill.
- 20) A speaker and grill, comprising:
  - a speaker horn disposed within a speaker box;
  - a rim joined to the speaker box;
  - a motor support joined to the rim;
  - a rim cover disposed about the rim;

a motor joined to a rotatable shaft, the motor joined to the motor support and

adapted to rotate the rotatable shaft;

a power source joined to the motor, the power source powering the motor; and

a rotatable cover joined to the rotatable shaft.